

DUOMO

Tehni?ne zna?ilnosti

Sestava: SESTAVA: 91 % RECIKLIRANEGA POLIESTRA, 9 % POLIESTRA.

Širina: 140 cm. UNE EN 1773

Teža m2: 429 gr/m2

Mo? pri trganju: >20N (BS4303) – >3 (DIN 53859-5)

Natezna trdnost: >350N (ISO13934-1)

Premik šiva: <4 (BS 3320) – <6 (DIN53868)


Odpornost na obrabo: EN ISO 12947: 35.000 ciklov.

Odpornost na razmno?evanje: (najve? 5) brez ?molkanja (ISO DIS 12945-2)

Odpornost barvil na drgnjenje: (najve? 5) dobro (ISO 105-X12)

Odpornost barve na svetlobo: 6-7 (najve? 8) dobro (ISO 105-B02)






DUOMO_09

DUOMO_10

DUOMO_11

DUOMO_266




DUOMO_27

DUOMO_271

DUOMO_30

DUOMO_300




DUOMO_302

DUOMO_309

DUOMO_324

DUOMO_330




DUOMO_336

DUOMO_342

DUOMO_347

DUOMO_357




DUOMO_407

DUOMO_434

DUOMO_46

DUOMO_51



DUOMO_53



DUOMO_56



DUOMO_60



DUOMO_90



DUOMO_93

The color of the displayed images may not correspond to the final product. Please consult your furniture store.

maintenance

For normal sofa maintenance we recommend that you vacuum the entire surface area regularly. You can use a normal home vacuum cleaner with a brush fitting.

water cleaning in three simple steps

Aquaclean[®] Technology enables you to get rid of small stains such as wine, coffee, food and even most marker pens without having to wash with soap or detergent.



- 1 Remove any excess residue from your upholstery.
- 2 Apply water* over the stain, either directly or using a damp cloth, then wait a few seconds.
- 3 Finally, press down with the damp cloth and rub gently over the fabric in circular movements. If the stain does not come off completely (*especially dried in stains*) repeat the process as required.

Read the QR to find out more about the Aquaclean[®] cleaning method.

*To avoid potential limescale stains, it is preferable use bottled water.

washing instructions

For normal care, you don't need to remove and wash the sofa fabric. But for large or tough stains, before washing review the following instructions:

maintenance and cleaning

liquids or oils

Absorb the excess liquid or oil with a cloth or paper towel, then rub gently with circular movements.

grease, pen ink

Apply water over the stain, either directly or using a damp cloth, leave on the fabric for a few seconds, then rub the stain gently with circular movements. Repeat the process as many times as necessary. Always leave the fabric to dry.

dust

Remove the dust with a vacuum cleaner.



Thanks to SafeFront[®] technology, our fabrics are protected against viruses and bacteria. They have been proven to reduce viral activity by over 91% after two hours of continuous contact.