

ENERGY FR

Technical Specifications

Composition: 92% POLYESTER, 8% POLYAMIDE

Width: 140 cm. UNE EN 1773

Weight m2: 400 g/m2

Tear resistance: > 20N (BS 4303) – > 3 (DIN 53859-5)

Seam slippage: Warp: < 4 mm – Weft: < 6 mm PR EN ISO 13936-2 (mm)

Abrasion resistance: >50,000 cycles UNE EN ISO 12947

Pilling resistance: 5 (5 max) no pilling (ISO DIS 12945-2)

Color fastness to rubbing: 4 (5 max) good (ISO 105-X12)

Color fastness to light: 6 good (ISO 105-B02)





ENERGY_1

ENERGY_10

ENERGY_11

ENERGY_13



ENERGY_14

ENERGY_15

ENERGY_16

ENERGY_17



ENERGY_18

ENERGY_19

ENERGY_2

ENERGY_20



ENERGY_21

ENERGY_23

ENERGY_24

ENERGY_25



ENERGY_26

ENERGY_27

ENERGY_28

ENERGY_29



ENERGY_3

ENERGY_30

ENERGY_31

ENERGY_32



ENERGY_35

ENERGY_36

ENERGY_37

ENERGY_38



ENERGY_39

ENERGY_4

ENERGY_41

ENERGY_42



ENERGY_43

ENERGY_44

ENERGY_45

ENERGY_5



ENERGY_6

ENERGY_7

ENERGY_8

ENERGY_80



ENERGY_81

ENERGY_9

The color of the displayed images may not correspond to the final product. Please consult your furniture store.

maintenance

For normal sofa maintenance we recommend that you vacuum the entire surface area regularly. You can use a normal home vacuum cleaner with a brush fitting.

water cleaning in three simple steps

Aquaclean[®] Technology enables you to get rid of small stains such as wine, coffee, food and even most marker pens without having to wash with soap or detergent.



Read the QR to find out more about the Aquaclean[®] cleaning method.

- 1 Remove any excess residue from your upholstery.
- 2 Apply water* over the stain, either directly or using a damp cloth, then wait a few seconds.
- 3 Finally, press down with the damp cloth and rub gently over the fabric in circular movements. If the stain does not come off completely (*especially dried in stains*) repeat the process as required.

*To avoid potential limescale stains, it is preferable use bottled water.

washing instructions

For normal care, you don't need to remove and wash the sofa fabric. But for large or tough stains, before washing review the following instructions:

maintenance and cleaning

liquids or oils

Absorb the excess liquid or oil with a cloth or paper towel, then rub gently with circular movements.

grease, pen ink

Apply water over the stain, either directly or using a damp cloth, leave on the fabric for a few seconds, then rub the stain gently with circular movements. Repeat the process as many times as necessary. Always leave the fabric to dry.

dust

Remove the dust with a vacuum cleaner.



Thanks to SafeFront[®] technology, our fabrics are protected against viruses and bacteria. They have been proven to reduce viral activity by over 91% after two hours of continuous contact.